# (19) World Intellectual Property Organization International Bureau



### 

## (43) International Publication Date 28 March 2002 (28.03.2002)

#### PCT

# (10) International Publication Number WO 02/25563 A1

(51) International Patent Classification7:

- - -

- G06F 19/00
- (21) International Application Number: PCT/AU01/01181
- (22) International Filing Date:

21 September 2001 (21.09.2001)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

60/234,656

22 September 2000 (22.09.2000) US

- (71) Applicant (for all designated States except US): CRYOSITE LIMITED [AU/AU]; 9 Sirius Road, Lane Cove, New South Wales 2066 (AU).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): MILLIKEN, Gordon, Leonard [AU/AU]; 26 Emmetts Farm Road, Rossmore, New South Wales 2171 (AU). DUNCAN, Russel [AU/AU]; 6 Pendley Crescent, Quakers Hill, New South Wales 2703 (AU). MITCHELL, David [AU/AU]; 4 Ravenhill Road, Turramurra, New South Wales 2074 (AU).

- (74) Agents: COWLE, Anthony, John et al.; DAVIES COL-LISON CAVE, Level 10, 10 Barrack Street, Sydney, New South Wales 2000 (AU).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG)

#### Published:

with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

A

#### (54) Title: SYSTEM AND METHOD FOR MANAGEMENT OF SPECIMENS

(57) Abstract: A system and method for the management of specimens, and particularly for the management of cryogenically stored biological specimens. The management functions can be performed remotely via the Internet. Management functions include the establishment, dispatch, retrieval, delivery to third parties, disposal, etc., of the samples. Environmental factors of the cryogenic storage means can be controlled, and varying access may be authorised. Data pertaining to the samples may be logged for historical data, analysed, processed in report form, etc. The specimens may be biological specimens, or samples of plants, plant extracts, insects or other samples. The specimens may be stored in ambient, refrigerated, frozen, ultracold, cryogenic or other environmental conditions.

#### SYSTEM AND METHOD FOR MANAGEMENT OF SPECIMENS

#### **Technical Field**

The present invention relates to a system and method for the management of specimens. The system and method is particularly applicable, although not limited to, the management of cryogenically stored biological specimens, whereby management functions may be performed remotely via the Internet. The system may, for example, be used for the management of the specimens such as plants, plant extracts, insects, extracts of insects or other natural specimens, and, the storage of the specimens may be performed at ambient, refrigerant, frozen (e.g. -20°C), ultracold (e.g. -80°C), or other temperatures and environmental conditions.

#### **Background of the Invention**

20

The reference to any prior art in this specification is not, and should not be taken as, an acknowledgement or any form of suggestion that that prior art forms part of the common general knowledge in Australia.

The storage time of biological specimens is known to be extended by cooling such specimens to "cryogenic" temperatures. Biological specimens stored using cryogenics includes plasma, DNA, cell lines, and tissues. There are various approaches to cryopreservation of biological specimens, each of which require the control of the storage condition parameters, such that a cryobiologist is able to bring the specimens to cryogenic temperatures and then return them to physiological conditions, without injury.

The storage of biological samples involves the collation of a large amount of data pertaining to each individual specimen. Each specimen must be categorised according to the type of specimen, the storage conditions required, the storage duration, etc. The management of data pertaining to cryogenically stored biological specimens is critical to optimise the probability of successfully storing the sample and being able to conveniently access the sample when required, but has herebefore typically been recorded manually, possibly with the use of stand-alone PCs utilising Excel spreadsheets or Microsoft Access.

-2-

PCT/AU01/01181

The Internet has changed the fundamental aspects of the way scientists work in that it provides a unique forum for the dissemination and exchange of information. The Internet provides a forum whereby collective information can be exchanged at a rapid rate and whereby various systems can be remotely managed.

5

WO 02/25563

In a networked data communications system, users have access to terminals which are capable of requesting and receiving information from local or remote information sources. In such a system a terminal may be any type of computer or computerised device, a personal computer (PC), a mobile or cellular phone, a mobile data terminal, a portable computer, a personal digital assistant (PDA), a pager, or any other similar type of electronic device. The capability of the terminal to request and/or receive information can be provided by an application program, hardware or other such entity. A terminal may be provided with associated devices, for example an information storage device such as a hard disk drive.

15

In such a system an information source may be a server or any other type of terminal (for example, a PC computer) coupled to an information storage device (for example, a hard disk drive). The exchange of information (i.e., the request and/or receipt of information) between the terminal and the information source, or other terminal(s), is facilitated by a connection referred to as a communication channel. The communication channel can be physically realised via a metallic cable (for example, a telephone line), semi-conducting cable, an electromagnetic signal (for example, a radio frequency (RF) signal), an optical fibre cable, a microwave link, a satellite link or any other such medium or combination thereof connected to a network infrastructure.

25

30

The infrastructure may be a telephone switch, a base station, a bridge, a router, or any other such specialised component, which facilitates the connection between the terminal and the network. Collectively, the interconnected group of terminals, physical connections, infrastructure and information sources is referred to as a computer network or data communications network.

The computer network itself may take a variety of forms. It may be located within a local geographic area, such as an office building, and consist of only a limited number of terminals and information sources. This type of computer network is commonly referred to as a Local Area Network (LAN). On a broader scale, it may be larger and support more users over a wider geographic area, such as across a city. This type of network is commonly referred to as a Wide Area Network (WAN). On an even broader scale LAN and WAN networks may be interconnected across a country or globally. An example of a globally connected computer network is the Internet.

#### 10 Summary of the Invention

25

In one broad form, the present invention provides a system for the management of specimens.

Preferably, the specimens are biological samples, but alternatively, the specimens may be plants, plant extracts, insects, or any other samples or specimens.

Preferably, said stored biological samples or other specimens are stored under cryogenic conditions.

Also preferably, however, the specimens may be stored in other environmental conditions, such as ambient, refrigerated, frozen, ultracold or other conditions.

Preferably, said stored biological samples or other specimens are managed remotely from storage means, via a computer network, such as the Internet.

Preferably, the management of said biological samples or other specimens includes the control of the environmental conditions at said storage means.

Preferably, said environmental conditions includes temperature, humidity, etc., of one or more freezer unit.

Preferably, said environmental conditions may be set or adjusted.

Preferably, said system includes a profile database having profile data correlating to sample data of said biological samples or other specimens.

5 Preferably, said profile database is searchable for identification of predetermined parameters pertaining thereto.

Preferably, said profile database is searchable from a remote location, via a computer network, such as the Internet.

10

Preferably, the management of said system includes the instruction of setting up, retrieval. delivery to third parties, and/or, disposal of said biological samples or other specimens.

Preferably, the management of said system is controllable by one or more users.

15

Preferably, said system includes authentication means to authenticate the authority of said one or more users to manage said system.

Preferably, said authentication means includes the supply of a user name and password, the use of biometric (e.g. fingerprint or iris scan) identification means, and/or other authentication means.

Preferably, a user can access the management system from any type of terminal.

25 Preferably, varying levels of authentication means are enabled to different users, dependent upon individual access and management authorities.

Preferably, said system includes validation means for indication to a user of a management instruction.

30

Preferably, said validation means includes the supply of return data or some means of visual indication (such as the greying of a screen) being provided to the user.

WO 02/25563

Preferably, said system includes logging means, to record ongoing data pertaining to each sample/specimen or groups of samples/specimen.

5 Preferably, historical data pertaining to said sample/specimen or groups of samples/specimens is retrievable from said logging means.

Preferably, said system further includes analysing means to analyse data pertaining to a sample/specimen or groups of samples/specimens, produce reports thereabouts, etc.

10

Preferably, said system uses one or more graphical interface.

Also preferably, said system includes replication and/or queuing means.

15 Preferably, said system is used for the management of biological samples or other specimens by academic and/or research institutions, pathology practices, clinical trial purposes, agricultural purposes, etc.

Preferably, the present invention provides that the system may utilise a computer network which be any network of two or more communicating computers or terminals including but not limited to, an internetwork, an intranetwork, a LAN, a WAN, or the Internet.

Preferably, in accordance with the present invention information or data is exchanged by means including but not limited to: metallic cables; semi-conducting cables; optical fibre cables; satellite links; electromagnetic waves; microwave links; exchanging of memory devices; or any other such medium or combination thereof connected to a network infrastructure.

In another preferred form of the invention there is provided a computer-readable medium of instructions for management of stored biological samples.

In yet another preferred form of the invention there is provided a method for the

WO 02/25563

PCT/AU01/01181

management of stored biological samples or other specimens.

In a further broad form, a system for the management of stored biological specimens, including:

a repository of biological specimens, each specimen having sample data pertaining thereto;

a processor, including:

a database containing profile data correlating to said sample data; searching means for one or more user to search said database; and

control means, for one or more user to control the management of said specimens, including the retrieval, delivery and disposal of each sample, and, the environmental conditions in which each sample is stored.

Preferably, said processor is accessed by said one or more user from a remote location, 15 such as via the Internet.

Also preferably, said processor includes authentication means to authenticate the authority of said one or more users, wherein each said one or more users may have differing authority levels.

20

5

10

Also preferably, said processor further includes identification means to determine the identity of each of said one or more users, wherein said identification means includes the supply of a user name and password, the use of biometric identification means, or other like identification means.

25

30

In yet a further broad form, the present invention provides a method for managing the storage of biological specimens, including the steps of:

providing a repository of biological specimens, each specimen having been sampled to obtain sample data pertaining thereto;

entering profile data, correlating to said sample data of said biological specimens into a database;

managing the identification retrieval, delivery and disposal of each sample, and, the

-7-

environmental conditions in which each sample is stored via a control means by one or more user.

Preferably, said one or more user accesses said database and/or said control means from a remote location via a communications carrier, such as via the Internet.

Also preferably, said managing step further includes authenticating the authority of said one or more user, wherein users may have a differing authority level.

Also preferably, said managing step further includes identifying said one or more user, including by the supply of a user name and password, the use of biometric identification means, or other like identification means.

In a further broad form, the present invention provides a computer readable medium of instruction for the management of stored biological samples.

#### **Detailed Description of Preferred Embodiments**

The present invention will become more fully understood from the following detailed description of the preferred but non-limiting embodiments thereof.

20

30

The system and method of the present invention has been established to provide a secure, off-site, low-temperature storage facility for specimens such as plasma, DNA, cell lines, tissues and other biological specimens, for natural or artificial products, including plants, plant extracts, insects, etc. At a central storage facility, unique identifiers streamline sample handling and processing, while the proprietary inventory management system stores all sample data and user defined information. Sample information can be securely accessed at any time via the Internet.

The inventory management system of the present invention permits persons to access information about the samples at any time via the Internet. This management service stores all data associated with the sample including location, temperature records and all user-defined information. Individual persons or corporations are able to define and/or

-8-

determine the security level of access required from username/password through to biometric identification (e.g. fingerprint or iris scan). The audit trail is able to determine the complete history of a sample including every movement within the facility, the time and duration of each opening of the storage vessel and who accessed the vessel.

5

Parties can use the system to access all information about all or a determined selection of the samples, request retrieval, delivery to third parties or disposal. Additionally, controls on who has access to the material, who can move, retrieve or dispose of samples can easily be established. Parties can select their own identification system for vials based on their own requirements.

Parties are able to access the database via their web browser to store information about samples. They may store the information on their own premises or they can record sample information via the browser and request storage of the samples from a centralised facility.

15

10

Some of the individual modules that make up the software are:

Wizards used to configure protocols include the following:

- Freezer wizard
- 20 Box wizard
  - Vial wizard

User definable data types for fields to record data, include the following:

- Data (collection data, test data, storage data, processing data)
- Type (blood, serum, plasma, urine, semen, seeds)
  - Storage conditions (ambient, refrigerant, frozen (e.g. -20°C), ultracold (e.g. -80°C), cryogenic, etc.)
- Storage duration, eg. Store until advised, specific date, time from receipt of samples.

25

-9-

Users can process various on-line requests including the following:

- Add box and vial data
- Request sample shipping to centralised location
- Request return of samples to user or other party
- Request disposal of samples

5

25

30

- On-line monitoring of the environmental conditions of individual sample, such as temperature
- · Request archival report of environmental conditions
- 10 Searches on any data fields to select samples with defined characteristics include the following:
  - Analysis of data
  - Produce reports based on database searches, hard copy or file.
- 15 Access to the system may be determined by the user. By setting up a hierarchy of access, the user can determine what level of access privileges they or their employees are assigned. A key user, for example, may be permitted full system access so that they can set up the system parameters, such as, freezer, box and vial configurations and then construct a storage protocol. A more junior member of staff may only be able to add samples and information, whereas, another employee may be able to make database queries on all of the data in their department.

Once a storage protocol has been set up, the user can add sample data. All samples that are stored on the database are identified by a barcode number, or the like. The system can accommodate all common barcode formats.

The first step is to record the storage box details, including the box barcode number. The vials are then added to the box. At this point, the system automatically allocates the next available storage position – the random placing of vials in a box is not permitted.

If the user wishes to ship the samples to a centralised storage facility, a request for

WO 02/25563

- 10 -

PCT/AU01/01181

shipping may be sent, via email. The centralised facility will then act on this request and arrange the appropriate shipping.

Upon receipt of the samples at the centralised storage facility, the box is assigned a storage location by the system. By linking the box ID with the individual vial ID's, the system can report such information as environmental monitoring down to the individual vial level.

The described embodiment of the system and method of the present invention has been designed from the ground-up as a web based application. As such, the system provides global access to the same data elements at the same time. There are no special configuration requirements, however, and the system may be supported on a variety of platforms, including Mac and PC Internet platforms. The other feature of web based systems is that the transaction security is based on known third party standards.

- 15 It will be appreciated that the present invention, rather than being around the object stored (vial), is based around the process. This means that in the present system, users define protocols for storage, and this then drives the other parts of the process. The application may typically impose regiments such as:
  - You can't store this vial in this box (it's too big)
  - You can't use this protocol (it belongs to someone else)
  - The application will tell you where to store a vial (but can be overridden)

The system of the present invention may be implemented whereby it uses graphical representations of various aspects, such as the box, freezer, etc.

25

20

It will be understood that the system of the present invention uses a high level of audit control. There is a copy of every record ever made. Every time a box is moved the transaction is recorded and a copy kept. This will provide a complete audit trail.

As such, the system of the present invention will integrate environmental monitoring with storage records. For every record, the user will be able to see a temperature graph of the storage conditions.

- 11 -

PCT/AU01/01181

The system of the present invention is designed to be preferably used within an Internet framework. This includes the usual client side HTML web pages and extends to the replication of data between servers connected via the Internet.

5

WO 02/25563

When data is changed on one server, it is preferably replicated to at least one other server in the domain. This design is enabled by every business object being able to be called from the web server and also from the "router". The router is the software component of the system that receives (or sends) database updates between servers.

10

Every database table and all key allocation is handled within a common business object. These are configurable per installation.

Rather than writing the data in real time across the Internet the transactions are queued and held locally until they can be forwarded. This provides a measure of recovery in case of database server melt down.

The design of the system to include replication and queuing minimises the possibility that data will be lost in the event of a node failure. It also permits the continued operation of the system in the event of breakdown in communication between the various nodes. In the same way that samples are distributed over the system (on and off-site) data is also distributed.

The following table, labelled Table 1, provides a listing of various components of the system of the present invention, a description of same and of their functionality.

# **FABLE**

| Component                | Description                              | Functionality   |
|--------------------------|--|---|
| Freezer wizard           | Client can select a freezer              | Clients define the arrangement of the shelves/racks and boxes in the freezer. |
|                          | configuration from a list of freezers or | The application is then able to calculate the number of storage units (eg     |
|                          | input user defined configuration         | boxes) that the freezer can store. It is also the basis from which capacity   |
|                          |  | data is calculated.   |
| Box wizard               | Allows client to define the dimensions   | The box is treated as a matrix with alpha characters used to label the X axis |
|                          | of the storage unit and the number of    | and numeric characters to label the Y axis. Eg for a 100 place box, the       |
|                          | vials that can be stored                 | matrix would be A-J, I-10.  |
| Vial wizard              | Client can define the dimensions of the  | Data that can be defined is, height, diameter, volume, internal or external   |
|                          | storage vial                             | thread.   |
| Vial storage allocation  | Automatic allocation of vial             | After a box has been defined and a number assigned using a barcode, the       |
|                          |  | client can commence storing vials. The application automatically assigns      |
|                          |  | the next available vial location.   |
| Hierarchy of storage     | Permits the user to define a hierarchy   | The application directs the placement of items for storage. This permits      |
| requirements             | of storage requirements.                 | users and management to develop a hierarchy of "placement directives" in      |
| •                        |  | relation to incoming samples. Eg. A new box to be stored in the facility will |
|                          |  | be automatically assigned a place near to existing samples from the same      |
|                          |  | client. Or conversely will be stored in a separate freezer from all existing  |
|                          |  | material.   |
| Adding sample data       | Allows input of data about the sample    | Clients can input data attached to the sample. This data is stored on the     |
| ,                        |  | Cryosite database server. The individual samples are identified by a          |
|                          |  | barcode number, the system records and tracks movement of the sample          |
|                          |  | through the system by this unique number.                                     |
| Box storage location     | Automatic allocation of box storage      | System automatically assigns a box storage location in the nominated          |
|                          | position                                 | storage location  |
| Environmental monitoring | On-line monitoring of freezer            | Client is able to view current temperature of the freezer in which any        |
|                          | temperature                              | individual samples is stored. Can also request report on historical records   |
| Database searches        | Dynamically configurable searches        | Clients can search on user-defined categories and alter these dynamically.    |
|                          |  | The results obtained presented as a hard copy report or as a file (Word or    |
|                          |  | Excel)  |
|                          |  |   |

# TABLE 1 cont.

| Integration               | The storage management component        | Included are the courier system, finance system, monitoring systems,            |
|---------------------------|---|---|
|                           | -0-                                     |   |
|                           | integrates with all of the other        | security systems.   |
|                           | supporting systems                      |   |
| Sample audits             | Client can enquire on their samples     | Whether samples are stored on-site or off-site, clients can produce a           |
|                           |   | complete list of samples that have been registered on the database.             |
|                           |   | Depending on the access levels  |
| Security                  | A high security module provides         | Physical security. All freezers have been modified by the addition of           |
| •                         | n against physic                        | proximity readers to control and monitor access.                                |
|                           | tampering                               | Data security - 128 bit encryption, Virtual Private Network, Encrypted data     |
|                           |   | storage   |
|                           |   | Security is also implemented by administrative users selecting a level of       |
|                           |   | 'time-out", whereby users are logged out of the system after a defined          |
|                           |   | period of inactivity.   |
| User configuration        | Users can configure their own storage   | This set-up allows users to define both physical attributes of the equipment,   |
|                           | protocols                               | such as, box dimensions, and information attributes, (eg. sample type, test     |
|                           |   | result)   |
| WAP Support               | Management is able to use a WAP         | This permits the use of portable WAP enabled devices to be used to receive      |
|                           | based interface to receive system       | system alerts.  |
|                           | alerts.                                 |   |
| Courier Interface         | Permits the user to tack the movement   | This permits the user to track the progress of shipments to and from the        |
|                           | of samples that are in transit.         | central facility by having the application interface with the tracking software |
|                           |   | of the courier company.   |
| Integration with handheld | Permits direct inventory updating.      | The user will be able to use wireless handheld devices to interrogate the       |
| devices.                  |   | database and track inventory movements in real-time.                            |
| Biometric authentication  | Users can require biometric             | The user will be able to require that biometric (or other) identification is    |
|                           | authentication                          | needed before certain processes can be authorised. Eg. The destruction of       |
|                           |   | samples.  |
| User zones                | Different zones for different user      | The administrative function can define user "zones" that permit access to       |
|                           | groups                                  | information within the database. This is used on an institution wide basis to   |
|                           |   | share varying amounts of information between user groups.                       |
| Store/Recall function     | Permits the user to ship/recall samples | The user will be able to designate samples (usually in conjunction with the     |
|                           | from an off-site facility               | search function) to be shipped to or from an off-site storage facility.         |

- 14 -

The following table, labelled Table 2, lists various layers of a preferred embodiment of a system of the present invention, the main layers being the user, business and database layers.

#### TABLE 2

5 Class Name Class Type **Business Layer bBox Method Name** Update Insert 10 Read **FLBProtocol FLBFreezer** Recall **FLBActive** 15 -Store ReadBlank Class Type **Business Layer** Class Name **bBoxList Method Name** 20 Search **FLBProtocol** Class Name Class Type **Business Layer Method Name bBoxType** Insert 25 Read Search Update ReadBlank 30 Class Name Class Type **Business Layer Method Name bControl** ReadControl **UpdateControl** 35 FLBConMand ListControls **FLBActive** Class Name Class Type **Business Layer** 40 **Method Name** bdatatype Read ReadBlank Update Insert 45 **Business Layer** Class Name Class Type **Method Name** bDataTypeList

Search

ç.

- 15 -

| 5  | Class Name<br>bEntity          | Class Type Method Name Read Update Insert ReadBlank   | Business Layer |
|----|--------------------------------|---|----------------|
| 10 | Class Name<br>BEntityList      | Class Type<br>Method Name<br>Search   | Business Layer |
| 15 | Class Name<br>bEntityListBoxes | Class Type Method Name FLBEntityType FLBEntityStatus FLBBankName FLBSellerStatus FLBCollectMethod FLBAcctType | Business Layer |
| 20 |                                | FLBBuyerStatus<br>FLBCreditBand<br>FLBPayMethod   |                |
| 25 | Class Name<br>bFreezer         | Class Type Method Name Read Update Insert FillListBoxCustomer   | Business Layer |
| 30 |                                | Delete FillListBoxSite ReadBlank FillListBoxFreezer   |                |
| 35 | Class Name<br>bFrelist         | Class Type<br>Method Name<br>Search   | Business Layer |
| 40 | Class Name<br>bLocation        | Class Type Method Name FLBLocationStatus Update FLBLocationType FLBLocationCountry                            | Business Layer |
| 45 |                                | FLBLocationCountry FLBLocationState FLBProVilType Read Insert ReadBlank                                       |                |
| 50 | Class Name<br>bLocationList    | Class Type<br>Method Name   | Business Layer |

- 16 -

|    |                               | Search<br>FLBLocationType  |                |
|----|-------------------------------|--|----------------|
| 5  | Class Name<br>bPerson         | Class Type Method Name Read Search FLBPersonActive                           | Business Layer |
| 10 |                               | FLBPersonTitle FLBPersonType Update ReadBlank DelRoleRow FLBRoleList         |                |
| 15 |                               | Insert RoleInsert  |                |
| 20 | Class Name<br>bProtocol       | Class Type Method Name Read FLBProBxtType FLBProTrlType FLBProStorLen        | Business Layer |
| 25 |                               | Update ReadBlank FLBProSamType FLBProVilType FLBProFreType FLBProSamFateType |                |
| 30 |                               | Insert<br>FLBProSite<br>FLBConDatatype                                       |                |
| 35 | Class Name<br>bProtocolList   | Class Type<br>Method Name<br>Search  | Business Layer |
| 40 | Class Name<br>bProtocolManual | Class Type Method Name ReadMan ReadBlankMan UpdateMan InsertMan ReadVial     | Business Layer |
| 45 | Class Name<br>bRole           | Class Type<br>Method Name<br>Read  | Business Layer |
| 50 | Class Name<br>bSeller         | Class Type<br>Method Name<br>ReadTrans                                       | Business Layer |

- 17 -

| 5        | Class Name<br>bvial           | Class Type Method Name ReadVial Update Insert ReadBlank               | Business Layer |
|----------|-------------------------------|---|----------------|
| 10       | Class Name<br>bVialList       | Class Type<br>Method Name<br>Search<br>FLBVilProt                     | Business Layer |
| 15<br>20 | Class Name<br>bVialType       | Class Type Method Name FLBVialMat Read Update Insert Search ReadBlank | Business Layer |
| 25       | Class Name<br>uBox            | Class Type<br>Method Name<br>box edit                                 | User Layer     |
|          | Class Name<br>uBoxList        | Class Type<br>Method Name<br>box search                               | User Layer     |
| 30       | Class Name<br>uBoxType        | Class Type Method Name box type edit                                  | User Layer     |
| 35       | Class Name<br>uBoxTypeList    | Class Type Method Name box type search                                | User Layer     |
| 40       | Class Name<br>uCapacityDetail | Class Type Method Name CapacityDetail                                 | User Layer     |
| 45       | Class Name<br>uCapacitySearch | Class Type Method Name capacity search                                | User Layer     |
| 50       | Class Name<br>uControl        | Class Type Method Name control search ControlEdit                     | User Layer     |
|          | Class Name                    | Class Type  | User Layer     |

|    | uDatatype                     | Method Name<br>DataType View/Edit                       |            |
|----|-------------------------------|---|------------|
| 5  | Class Name<br>uDataTypeList   | Class Type<br>Method Name<br>Data Type Search           | User Layer |
| 10 | Class Name<br>uEntity         | Class Type Method Name entity view/edit                 | User Layer |
| 16 | Class Name<br>uEntityList     | Class Type<br>Method Name<br>entity search              | User Layer |
| 15 | Class Name<br>ufreezer        | Class Type<br>Method Name<br>Freezer View/Edit          | User Layer |
| 20 | Class Name<br>ufreList        | Class Type<br>Method Name<br>freezer search             | User Layer |
| 25 | Class Name<br>UGenericScreens | Class Type Method Name Generic Search Generic View/Edit | User Layer |
| 30 | Class Name<br>uLocation       | Class Type Method Name location view/edit               | User Layer |
| 35 | Class Name<br>uLocationList   | Class Type Method Name location search                  | User Layer |
| 40 | Class Name<br>uPerson         | Class Type Method Name person view/edit                 | User Layer |
| 40 | Class Name<br>uPersonList     | Class Type Method Name person search                    | User Layer |
| 45 | Class Name<br>uProtocol       | Class Type<br>Method Name<br>protocol edit              | User Layer |
| 50 | Class Name<br>uProtocolList   | Class Type<br>Method Name<br>ProtocolSearch             | User Layer |

- 19 -

|    | Class Name<br>uRole          | Class Type<br>Method Name<br>RoleList                              | User Layer  |
|----|------------------------------|--|---|
| 5  | Class Name<br>uRoleList      | Class Type<br>Method Name<br>Role List                             | User Layer  |
| 10 | Class Name<br>uVial          | Class Type<br>Method Name<br>ProtocolManViewEdit<br>vial view/edit | User Layer  |
| 15 | Class Name<br>uVialList      | Class Type<br>Method Name<br>vial search                           | User Layer  |
| 20 | Class Name<br>uVialType      | Class Type Method Name vialtype view/edit                          | User Layer  |
|    | Class Name<br>uVialTypeList  | Class Type<br>Method Name<br>vialtype search                       | User Layer  |
| 25 | Class Name<br>uWelcome       | Class Type<br>Method Name<br>home                                  | User Layer  |
| 30 |                              |  |   |
|    | Class NameClass Name<br>bBox | Class Type<br>Property Name  | Business Layer  |
| 35 |                              | box_active<br>smp_id<br>box_entkey<br>box_name<br>box_id           | Description Description Description Description Description |
| 40 |                              | box_cstid<br>box_height<br>box_width<br>box_depth                  | Description Description Description Description Description |
| 45 |                              | box_comments smp_name bxt_name box_prtkey box_prot                 | Description Description Description Description             |
| 50 | •                            | box_key bxt_xstart bxt_xlength smp_cstid bxt_ystart                | Description Description Description Description Description |

- 20 -

|                |                                  | bxt_ylength<br>box_frepos<br>box_rckpos   | Description Description Description  |
|----------------|----------------------------------|---|--|
|                |                                  | box shipos  | Description  |
| 5              |                                  | bop_x   | Description  |
|                |                                  | bop_y   | Description  |
|                |                                  | smp key   | Description  |
|                |                                  | box frekey  | Description  |
|                |                                  | box_rcpkey  | Description  |
| 10             |                                  | 0011_1 opo,   |  |
| 10             | Class NameClass Name<br>bBoxList | Class Type<br>Property Name   | Business Layer   |
|                |                                  | box cstkey  | Description  |
|                |                                  | box loc   | Description  |
| 15             |                                  | box_name  | Description  |
|                |                                  | box id  | Description  |
|                |                                  | box estid   | Description  |
|                |                                  | box lastupdwhen   | Date   |
|                |                                  | box bxtkey  | Description  |
| 20             |                                  | prt_name  | Description  |
|                |                                  | box key   | Description  |
|                |                                  | in_box_id   | Description  |
|                |                                  | in_box_cstid  | Description  |
|                |                                  | in box prot   | Firstname  |
| 25             |                                  |   |  |
|                | Class NameClass Name             | Class Type  | Business Layer   |
|                | bBoxType                         | Property Name   | •  |
|                |                                  | bxt key   | Description  |
|                |                                  |   | Doggaintion  |
|                |                                  | bxt type  | Description  |
| 30             |                                  | bxt_type<br>bxt_xlength   | Description Description  |
| 30             |                                  | bxt_xlength   | Description  |
| 30             |                                  | bxt_xlength<br>bxt_ylength  | Description Description  |
| 30             |                                  | bxt_xlength<br>bxt_ylength<br>bxt_width   | Description  |
| 30             |                                  | bxt_xlength bxt_ylength bxt_width bxt_comments  | Description<br>Description<br>Description  |
|                |                                  | bxt_xlength bxt_ylength bxt_width bxt_comments bxt_lastupdwhen  | Description Description Description Description  |
| 30             |                                  | bxt_xlength bxt_ylength bxt_width bxt_comments bxt_lastupdwhen bxt_name   | Description Description Description Description Description Date   |
|                |                                  | bxt_xlength bxt_ylength bxt_width bxt_comments bxt_lastupdwhen bxt_name bxt_active  | Description Description Description Description Date Description   |
|                |                                  | bxt_xlength bxt_ylength bxt_width bxt_comments bxt_lastupdwhen bxt_name bxt_active bxt_xstart   | Description Description Description Description Date Description Description Description   |
|                |                                  | bxt_xlength bxt_ylength bxt_width bxt_comments bxt_lastupdwhen bxt_name bxt_active  | Description Description Description Description Date Description Description Description Description   |
| 35             |                                  | bxt_xlength bxt_ylength bxt_width bxt_comments bxt_lastupdwhen bxt_name bxt_active bxt_xstart bxt_ystart bxt_height   | Description Description Description Description Date Description Description Description Description Description Description   |
|                |                                  | bxt_xlength bxt_ylength bxt_width bxt_comments bxt_lastupdwhen bxt_name bxt_active bxt_xstart bxt_ystart bxt_height bxt_depth   | Description Description Description Description Date Description Description Description Description Description Description Description Description   |
| 35             |                                  | bxt_xlength bxt_ylength bxt_width bxt_comments bxt_lastupdwhen bxt_name bxt_active bxt_xstart bxt_ystart bxt_height bxt_lastupdby   | Description Description Description Description Date Description Description Description Description Description Description Description Description Description   |
| 35             |                                  | bxt_xlength bxt_ylength bxt_width bxt_comments bxt_lastupdwhen bxt_name bxt_active bxt_xstart bxt_ystart bxt_height bxt_lastupdby bxt_lastupdaction   | Description Description Description Description Date Description   |
| 35             |                                  | bxt_xlength bxt_ylength bxt_width bxt_comments bxt_lastupdwhen bxt_name bxt_active bxt_xstart bxt_ystart bxt_height bxt_lastupdby   | Description Description Description Description Date Description   |
| 35             | Class NameClass Name<br>bControl | bxt_xlength bxt_ylength bxt_width bxt_comments bxt_lastupdwhen bxt_name bxt_active bxt_xstart bxt_ystart bxt_height bxt_lastupdby bxt_lastupdaction in_bxttype  Class Type Property Name                                    | Description Description Description Description Date Description   |
| 35<br>40       |                                  | bxt_xlength bxt_ylength bxt_width bxt_comments bxt_lastupdwhen bxt_name bxt_active bxt_xstart bxt_ystart bxt_height bxt_lastupdby bxt_lastupdaction in_bxttype  Class Type  | Description Description Description Description Date Description   |
| 35<br>40       |                                  | bxt_xlength bxt_ylength bxt_width bxt_comments bxt_lastupdwhen bxt_name bxt_active bxt_xstart bxt_ystart bxt_height bxt_lastupdby bxt_lastupdaction in_bxttype  Class Type Property Name                                    | Description Description Description Description Date Description   |
| 35<br>40       |                                  | bxt_xlength bxt_ylength bxt_width bxt_comments bxt_lastupdwhen bxt_name bxt_active bxt_xstart bxt_ystart bxt_height bxt_lastupdby bxt_lastupdaction in_bxttype  Class Type Property Name prt_key                            | Description Description Description Description Date Description   |
| 35<br>40       |                                  | bxt_xlength bxt_ylength bxt_width bxt_comments bxt_lastupdwhen bxt_name bxt_active bxt_xstart bxt_ystart bxt_height bxt_lastupdby bxt_lastupddsy bxt_lastupdaction in_bxttype  Class Type Property Name prt_key prt_name    | Description Description Description Description Date Description   |
| 35<br>40<br>45 |                                  | bxt_xlength bxt_ylength bxt_width bxt_comments bxt_lastupdwhen bxt_name bxt_active bxt_xstart bxt_ystart bxt_height bxt_lastupdby bxt_lastupdaction in_bxttype  Class Type Property Name prt_key prt_name ct2_text          | Description Description Description Description Date Description   |
| 35<br>40<br>45 |                                  | bxt_xlength bxt_ylength bxt_width bxt_comments bxt_lastupdwhen bxt_name bxt_active bxt_xstart bxt_ystart bxt_height bxt_lastupdby bxt_lastupdaction in_bxttype  Class Type  Property Name prt_key prt_name ct2_text prt_key | Description Description Description Description Date Description |

- 21 -

| 5  |                                       | ct2_top ct2_visible ct2_name ct2_valuereqd ct2_tabnum ct2_left ct2_width ct2_height ct2_tabstop ct2_tabindex ct2_prtkey ct2_visible ct2_lastupdby ct2_lastupdwhen | Description Date |
|----|---------------------------------------|---|--|
| 15 | Class NameClass Name<br>bdatatype     | Class Type Property Name dat_key dat_lastupdwhen  | Business Layer  Description  Date  |
| 20 |                                       | dat_name<br>dat_lastupdby   | Description Description  |
| 25 | Class NameClass Name<br>bDataTypeList | Class Type Property Name  | Business Layer  Description  |
| 23 |                                       | dat_key in_name dat_name  | Description Description  |
| 30 | Class NameClass Name<br>bEntity       | Class Type Property Name ent rg psnkey  | Business Layer  Description  |
|    |                                       | ent_hl_psnkey ent_defdel_location ent_hl_psnname  | Description Description Description  |
| 35 | ,                                     | ent_key ent_abn in_key  | Integer Description Description  |
| 40 |                                       | ent_website ent_acn ent_id ent_trade_name ent_admin_lockey  | Description Description Description Description Integer  |
| 45 |                                       | ent_defdel_lockey ent_reg_name ent_admin_location ent_rg_psnname ent_since  | Integer Description Description Description Date   |
| 50 |                                       | ent_lastupdby ent_lastupdwhen ent_lastupdaction ent_active  | Description Date Description Description   |

- 22 -

|     |                      | CI                      |                          |
|-----|----------------------|-------------------------|--------------------------|
|     | Class NameClass Name | Class Type              | Business Layer           |
|     | BEntityList          | Property Name           | Describera               |
|     |                      | in_name                 | Description              |
| _   |                      | in_id                   | Description              |
| 5   |                      | ent_key                 | Description Description  |
|     |                      | ent_reg_name            | Description  Description |
|     |                      | ent_id                  | Description              |
|     | Class NameClass Name | Class Type              | Business Layer           |
| 10  | bFreezer             | Property Name           |                          |
|     |                      | FRE_FREXSTART           | Description              |
|     |                      | FRE_ID                  | Description              |
|     | •                    | FRE_NAME                | Description              |
|     |                      | FRE_MAXTEMP             | Description              |
| 15  |                      | FRE_POLFREQ             | Integer                  |
|     |                      | FRE_FREXLEN             | Integer                  |
|     |                      | IN_KEY                  | Integer                  |
|     |                      | FRE_FREYSTART           | Description              |
|     |                      | FRE_COMMENT             | Description              |
| 20  |                      | FRE_KEY                 | Integer                  |
|     |                      | FRE_MINTEMP             | Description              |
|     |                      | FRE_TYPE                | Description              |
|     |                      | FRE_LASTUPDWHEN         | Date                     |
| 0.5 |                      | FRE_FREYLEN             | Integer                  |
| 25  |                      | FRE_SHLXSTART           | Description              |
|     |                      | FRE_SHLYSTART           | Description              |
|     |                      | FRE_RCKXSTART           | Description              |
|     |                      | FRE_CSTKEY              | Integer                  |
| 20  |                      | FRE_SITKEY              | Integer                  |
| 30  |                      | FRE_RCKYSTART           | Description              |
|     |                      | FRE_NOSHELVES           | Integer                  |
|     |                      | FRE_NOLOC               | Integer                  |
|     |                      | FRE_SHLXLEN FRE_SHLYLEN | Integer<br>Integer       |
| 35  |                      | FRE RCKXLEN             | Integer                  |
| 33  |                      | FRE RCKYLEN             | Integer                  |
|     |                      | rkb_rck1tem             | Integer                  |
|     | Class NameClass Name | Class Type              | Business Layer           |
|     | bFrelist             | Property Name           |                          |
| 40  |                      | fre_name                | Description              |
|     |                      | fre_noshelves           | Integer                  |
|     |                      | in_freid                | Description              |
|     |                      | in_frename              | Description              |
|     |                      | fre_key                 | Integer                  |
| 45  |                      | fre_id                  | Description              |
|     | Class NameClass Name | Class Type              | Business Layer           |
|     | bLocation            | Property Name           | •                        |
|     |                      | loc_entkey              | Description              |
| 50  |                      | loc_status              | Description              |
|     |                      | loc_name                | Description              |
|     |                      | loc_add1                | Description              |
|     |                      |                         | -                        |

| 5  |                                       | loc_add3 loc_state loc_pcode loc_key loc_type loc_shortname loc_add2        | Description Description Postcode Description Description Description |
|----|---------------------------------------|---|--|
| 10 |                                       | loc_city loc_country loc_phone loc_fax loc_notes                            | Description Description Description Phone No Description             |
| 15 |                                       | loc_lastupdwhen in_key loc_lastupdby loc_lastupdaction loc_add4 loc_entname | Date Integer Description Description Description Description         |
|    |                                       | loc_ean   | Description  |
| 20 | Class NameClass Name<br>bLocationList | Class Type<br>Property Name   | Business Layer   |
|    | DESCRIPTION                           | in name   | Description  |
|    |                                       | in shortname  | Description  |
| 25 |                                       | in_type   | Description  |
|    |                                       | loc_shortname   | Description  |
|    |                                       | loc_entname   | Description  |
|    |                                       | loc_name  | Description  |
|    |                                       | loc_type  | Description  |
| 30 |                                       | loc status  | Description  |
|    |                                       | loc_key   | Description  |
|    |                                       | loc entkey  | Description  |
|    |                                       | loc_add1  | Description  |
|    |                                       | loc_add2  | Description  |
| 35 |                                       | loc add3  | Description  |
|    |                                       | loc_add4  | Description  |
|    |                                       | loc_city  | Description  |
|    |                                       | loc_country   | Description  |
|    |                                       | loc_fax   | Description  |
| 40 |                                       | loc_lastupdaction   | Description  |
|    |                                       | loc_lastupdby   | Description  |
|    |                                       | loc_lastupdwhen   | Description  |
|    |                                       | loc_notes   | Description  |
|    | •                                     | loc_pcode   | Description  |
| 45 |                                       | loc_phone   | Description  |
|    |                                       | loc_state   | Description  |
|    |                                       | loc_ean   | Description  |
|    | Class NameClass Name                  | Class Type  | Business Layer   |
| 50 | bPerson                               | Property Name   |  |
| -  | · · · · · · · · · · · · · · · · · · · | ent_reg_name  | Description  |
|    |                                       | psn_wkfax   | Description  |
|    |                                       | 1   |  |

|    |                      | non hanomoil      | Donnintin      |
|----|----------------------|-------------------|----------------|
|    |                      | psn_hmemail       | Description    |
|    |                      | psn_password      | Description    |
|    |                      | psn_initcalkey    | Description    |
| _  |                      | psn_familyname    | Description    |
| 5  |                      | psn_lastupdby     | Description    |
|    |                      | psn_lastupdwhen   | Date           |
|    |                      | psn_lastupdaction | Description    |
|    |                      | psn_givenname     | Description    |
|    |                      | psn_dob           | DOB            |
| 10 |                      | in_familyname     | Firstname      |
|    |                      | in_givenname      | Firstname      |
|    |                      | in_dob            | DOB            |
|    |                      | psn_name          | Date           |
|    |                      | psn_wkphone       | Phone No       |
| 15 |                      | psn_hmfax         | Phone No       |
|    |                      | psn_wkemail       | Description    |
|    |                      | psn_type          | Description    |
|    |                      | psn_status        | Description    |
|    |                      | psn_key           | Integer        |
| 20 |                      | psn_title         | Description    |
|    |                      | psn_namesuffix    | Description    |
|    |                      | per_key           | Description    |
|    |                      | zTab4ent_key      | Description    |
|    |                      | zTab4rol_key      | Description    |
| 25 |                      | pre_key           | Description    |
|    |                      | psn_active        | Description    |
|    |                      | psn_maidenname    | Description    |
|    |                      | psn_prefername    | Description    |
|    |                      | psn_hmphone       | Description    |
| 30 |                      | psn_username      | Description    |
|    |                      | psn_desc          | Description    |
|    |                      | psn_notes         | Description    |
|    |                      | rol_name          | Description    |
| 35 | Class NameClass Name | Class Type        | Business Layer |
|    | bProtocol            | Property Name     |                |
|    |                      | prt_name          | Description    |
|    |                      | prt_frekey        | Description    |
|    |                      | prt_bxtkey        | Description    |
| 40 |                      | prt_smpfate       | Description    |
|    |                      | prt_trlkey        | Description    |
|    |                      | prt_message       | Description    |
|    |                      | prt_lastupdwhen   | Date           |
|    |                      | prt_temp          | Description    |
| 45 |                      | prt_vilkey        | Description    |
|    |                      | prt_storlen       | Description    |
|    |                      | prt_smptype       | Description    |
|    |                      | prt_key           | Description    |
|    |                      | prt_lastupdby     | Description    |
| 50 |                      | prt_sitkey        | Description    |
| •  | Class NameClass Name | Class Type        | Business Layer |

- 25 -

|           | bProtocolList        | Property Name |                |
|-----------|----------------------|---------------|----------------|
|           | DI I GLOCOLIZISC     | prt_key       | Description    |
|           |                      | prt_temp      | Description    |
|           |                      | vil_type      | Description    |
| 5         |                      | <del>-</del>  | Description    |
| )         |                      | prt_name      | Description    |
|           |                      | bxt_type      | Description    |
|           |                      | in_proname    | Description    |
|           | Class NameClass Name | Class Type    | Business Layer |
| 10        | bProtocolManual      | Property Name |                |
|           |                      | smp_date2     | DOB            |
|           |                      | smp_text3     | Description    |
|           |                      | prt_message   | Description    |
|           |                      | smp_date1     | DOB            |
| 15        |                      | smp_date3     | DOB            |
|           |                      | smp_date4     | DOB            |
|           |                      | smp_date5     | DOB            |
|           |                      | smp_date6     | DOB            |
|           |                      | smp_date7     | DOB            |
| 20        |                      | smp_date8     | DOB            |
|           |                      | smp_date9     | DOB            |
|           |                      | smp_date10    | DOB            |
|           |                      | smp_time1     | Description    |
|           |                      | smp_time2     | Description    |
| 25        |                      | smp_time3     | Description    |
|           |                      | smp_time4     | Description    |
|           |                      | smp_time5     | Description    |
|           |                      | smp_time6     | Description    |
|           |                      | smp_time7     | Description    |
| 30        |                      | smp_time8     | Description    |
|           |                      | smp_time9     | Description    |
|           |                      | smp_time10    | Description    |
|           |                      | smp_text1     | Description    |
|           |                      | smp_text2     | Description    |
| 35        |                      | prt_name      | Description    |
|           |                      | vil_type      | Description    |
|           |                      | bxt_type      | Description    |
|           |                      | trl_name      | Description    |
| 40        |                      | prt_frekey    | Description    |
| 40        |                      | prt_smptype   | Description    |
|           |                      | prt_smpfate   | Description    |
|           |                      | prt_stortype  | Description    |
|           |                      | prt_storlen   | Description    |
| 4.5       |                      | prt_temp      | Description    |
| 45        |                      | smp_key       | Description    |
|           |                      | smp_text4     | Description    |
|           |                      | smp_text5     | Description    |
|           |                      | smp_text6     | Description    |
| <b>50</b> |                      | smp_text7     | Description    |
| 50        |                      | smp_text8     | Description    |
|           |                      | smp_text9     | Description    |
|           |                      | smp_text10    | Description    |

|                |                      | smp_numerical1  | Description  |
|----------------|----------------------|---|--|
|                |                      | smp_numerical2  | Description  |
|                |                      | smp_numerical3  | Description  |
|                |                      | smp_numerical4  | Description  |
| 5              |                      | smp_numerical5  | Description  |
|                |                      | smp_numerical6  | Description  |
|                |                      | smp_numerical7  | Description  |
|                |                      | smp numerical8  | Description  |
|                |                      | smp_numerical9  | Description  |
| 10             |                      | smp_numerical10   | Description  |
|                |                      | smp_id  | Description  |
|                |                      | smp_cstid   | Description  |
|                |                      | prt_key   | Description  |
|                |                      | smp_prtkey  | Description  |
| 15             |                      | smp_name  | Description  |
| 13             |                      | Simp_namo   | South  |
|                | Class NameClass Name | Class Type  | Business Layer   |
|                | bRole                | Property Name   | •  |
|                |                      | rol active  | Code   |
| 20             |                      | rol_lastupdby   | Description  |
| 20             |                      | rol lastupdaction   | Description  |
|                |                      | rol key   | Primary Key  |
|                |                      | rol name  | Description  |
|                |                      | rol_lastupdwhen   | Description  |
| 25             |                      | Toi_lastapa whom  | Doscription  |
|                | Class NameClass Name | Class Type  | Business Layer   |
|                | bSeller              | Property Name   |  |
|                |                      |   | Description  |
|                |                      | ent sei disdute vai   |  |
|                |                      | ent_sel_dispute_val<br>ent_reg_name   |  |
| 30             |                      | ent_reg_name  | Description  |
| 30             |                      | ent_reg_name<br>trn_goodsdesc   | Description Description  |
| 30             |                      | ent_reg_name<br>trn_goodsdesc<br>trn_status   | Description<br>Description<br>Description  |
| 30             |                      | ent_reg_name trn_goodsdesc trn_status ent_key   | Description Description Description Description  |
| 30             |                      | ent_reg_name trn_goodsdesc trn_status ent_key trn_tran_date   | Description Description Description Description Description  |
|                |                      | ent_reg_name trn_goodsdesc trn_status ent_key trn_tran_date trn_selref  | Description Description Description Description Description Description Description  |
| 30<br>35       |                      | ent_reg_name trn_goodsdesc trn_status ent_key trn_tran_date trn_selref trn_seltotal   | Description Description Description Description Description Description Description Description  |
|                |                      | ent_reg_name trn_goodsdesc trn_status ent_key trn_tran_date trn_selref trn_seltotal ent_sel_debt  | Description Description Description Description Description Description Description Description Description  |
|                |                      | ent_reg_name trn_goodsdesc trn_status ent_key trn_tran_date trn_selref trn_seltotal   | Description Description Description Description Description Description Description Description  |
|                | Class NameClass Name | ent_reg_name trn_goodsdesc trn_status ent_key trn_tran_date trn_selref trn_seltotal ent_sel_debt trn_buy_reg_name   | Description Description Description Description Description Description Description Description Description  |
|                | Class NameClass Name | ent_reg_name trn_goodsdesc trn_status ent_key trn_tran_date trn_selref trn_seltotal ent_sel_debt  | Description  |
| 35             |                      | ent_reg_name trn_goodsdesc trn_status ent_key trn_tran_date trn_selref trn_seltotal ent_sel_debt trn_buy_reg_name  Class Type Property Name   | Description  |
| 35             |                      | ent_reg_name trn_goodsdesc trn_status ent_key trn_tran_date trn_selref trn_seltotal ent_sel_debt trn_buy_reg_name  Class Type Property Name smp_date2   | Description  |
| 35             |                      | ent_reg_name trn_goodsdesc trn_status ent_key trn_tran_date trn_selref trn_seltotal ent_sel_debt trn_buy_reg_name  Class Type Property Name smp_date2 smp_text3   | Description  |
| 35             |                      | ent_reg_name trn_goodsdesc trn_status ent_key trn_tran_date trn_selref trn_seltotal ent_sel_debt trn_buy_reg_name  Class Type Property Name smp_date2 smp_text3 prt_message   | Description  |
| 35<br>40       |                      | ent_reg_name trn_goodsdesc trn_status ent_key trn_tran_date trn_selref trn_seltotal ent_sel_debt trn_buy_reg_name  Class Type Property Name smp_date2 smp_text3 prt_message smp_date1   | Description  |
| 35             |                      | ent_reg_name trn_goodsdesc trn_status ent_key trn_tran_date trn_selref trn_seltotal ent_sel_debt trn_buy_reg_name  Class Type Property Name smp_date2 smp_text3 prt_message smp_date1 smp_date3   | Description Doscription DoB Description DOB DOB                    |
| 35<br>40       |                      | ent_reg_name trn_goodsdesc trn_status ent_key trn_tran_date trn_selref trn_seltotal ent_sel_debt trn_buy_reg_name  Class Type Property Name smp_date2 smp_text3 prt_message smp_date1 smp_date3 smp_date4   | Description DoB Description DOB DOB DOB DOB            |
| 35<br>40       |                      | ent_reg_name trn_goodsdesc trn_status ent_key trn_tran_date trn_selref trn_seltotal ent_sel_debt trn_buy_reg_name  Class Type Property Name smp_date2 smp_text3 prt_message smp_date1 smp_date3 smp_date4 smp_date5                               | Description DoB DOB DOB DOB DOB DOB                    |
| 35<br>40       |                      | ent_reg_name trn_goodsdesc trn_status ent_key trn_tran_date trn_selref trn_seltotal ent_sel_debt trn_buy_reg_name  Class Type Property Name smp_date2 smp_text3 prt_message smp_date1 smp_date3 smp_date4 smp_date5 smp_date5 smp_date6           | Description DoB DOB DOB DOB DOB DOB DOB                |
| 35<br>40<br>45 |                      | ent_reg_name trn_goodsdesc trn_status ent_key trn_tran_date trn_selref trn_seltotal ent_sel_debt trn_buy_reg_name  Class Type Property Name smp_date2 smp_text3 prt_message smp_date1 smp_date3 smp_date4 smp_date5 smp_date6 smp_date7           | Description Doscription DoB DOB DOB DOB DOB DOB DOB DOB            |
| 35<br>40       |                      | ent_reg_name trn_goodsdesc trn_status ent_key trn_tran_date trn_selref trn_seltotal ent_sel_debt trn_buy_reg_name  Class Type Property Name smp_date2 smp_text3 prt_message smp_date1 smp_date3 smp_date4 smp_date5 smp_date6 smp_date7 smp_date8 | Description Doscription DoB DO |
| 35<br>40<br>45 |                      | ent_reg_name trn_goodsdesc trn_status ent_key trn_tran_date trn_selref trn_seltotal ent_sel_debt trn_buy_reg_name  Class Type Property Name smp_date2 smp_text3 prt_message smp_date1 smp_date3 smp_date4 smp_date5 smp_date6 smp_date7           | Description Doscription DoB DOB DOB DOB DOB DOB DOB DOB            |

- 27 -

|    | smp_time1         | Description |
|----|-------------------|-------------|
|    | smp_time2         | Description |
|    | smp_time3         | Description |
|    | smp_time4         | Description |
| 5  | smp_time5         | Description |
|    | smp_time6         | Description |
|    | smp_time7         | Description |
|    | smp_time8         | Description |
|    | smp_time9         | Description |
| 10 | smp_time10        | Description |
|    | smp_text1         | Description |
|    | smp_text2         | Description |
|    | prt_name          | Description |
|    | vil_type          | Description |
| 15 | bxt_type          | Description |
|    | trl_name          | Description |
|    | prt_frekey        | Description |
|    | prt_smptype       | Description |
|    | prt_smpfate       | Description |
| 20 | prt_stortype      | Description |
|    | prt_storlen       | Description |
|    | prt_temp          | Description |
|    | smp_key           | Description |
|    | smp_text4         | Description |
| 25 | smp_text5         | Description |
|    | smp_text6         | Description |
|    | smp_text7         | Description |
|    | smp_text8         | Description |
|    | smp_text9         | Description |
| 30 | smp_text10        | Description |
|    | smp_numerical1    | Description |
|    | smp_numerical2    | Description |
|    | smp_numerical3    | Description |
|    | smp_numerical4    | Description |
| 35 | smp_numerical5    | Description |
|    | smp_numerical6    | Description |
|    | smp_numerical7    | Description |
|    | smp_numerical8    | Description |
|    | smp_numerical9    | Description |
| 40 | smp_numerical10   | Description |
|    | smp_id            | Description |
|    | smp_cstid         | Description |
|    | prt_key           | Description |
|    | smp_prtkey        | Description |
| 45 | smp_name          | Description |
|    | smp_lastupdwhen   | Description |
|    | bop_x             | Description |
|    | bop_y             | Description |
|    | box_key           | Description |
| 50 | smp_lastupdby     | Description |
|    | smp_lastupdaction | Description |
|    |                   |             |

- 28 -

|    | Class NameClass Name<br>bVialList | Class Type<br>Property Name | Business Layer |
|----|-----------------------------------|-----------------------------|----------------|
|    |                                   | prt_key                     | Description    |
|    |                                   | smp key                     | Description    |
| 5  |                                   | smp_cstid                   | Description    |
|    |                                   | smp_id                      | Description    |
|    |                                   | smp_name                    | Description    |
|    |                                   | smp_desc                    | Description    |
|    |                                   | smp_loc                     | Description    |
| 10 |                                   | smp_freezer                 | Description    |
|    |                                   | trl name                    | Description    |
|    |                                   | in_smpid                    | Description    |
|    |                                   | in_SmpcstId                 | Description    |
|    |                                   | in_boxid                    | Description    |
| 15 |                                   | in Protocol                 | Description    |
| 10 |                                   | M_1 1010001                 | Doscription    |
|    | Class NameClass Name              | Class Type                  | Business Layer |
|    | bVialType                         | Property Name               |                |
|    |                                   | ent_reg_name                | Description    |
| 20 |                                   | in_vialtype                 | Description    |
|    |                                   | vil_entkey                  | Description    |
|    |                                   | vil_height                  | Description    |
|    |                                   | vil_key                     | Primary Key    |
|    |                                   | vil_lastupdaction           | Description    |
| 25 |                                   | vil_lastupdby               | Description    |
|    |                                   | vil_lastupdwhen             | Date           |
|    |                                   | vil_material                | Description    |
|    |                                   | vil_name                    | Description    |
|    |                                   | vil_outdia                  | Description    |
| 30 |                                   | vil_type                    | Description    |
|    |                                   | vil_volume                  | Description    |
|    | Class NameClass Name              | Class Type                  | User Layer     |
|    | uBox                              | Property Name               |                |
| 35 |                                   | box active                  | Description    |
|    |                                   | smp id                      | Description    |
|    |                                   | box_entkey                  | Description    |
|    |                                   | box trlkey                  | Description    |
|    |                                   | box_name                    | Description    |
| 40 |                                   | box_id                      | Description    |
|    |                                   | box_cstid                   | Description    |
|    |                                   | box height                  | Description    |
|    |                                   | box width                   | Description    |
|    |                                   | box_depth                   | Description    |
| 45 |                                   | box_comments                | Description    |
|    |                                   | smp_name                    | Description    |
|    |                                   | bxt name                    | Description    |
|    |                                   | box_prtkey                  | Description    |
|    |                                   | box_prot                    | Description    |
| 50 |                                   | box_prot<br>box_key         | Description    |
| 50 |                                   | bxt xstart                  | Description    |
|    |                                   |                             | Description    |
|    |                                   | bxt_xlength                 | Describiton    |

- 29 -

|     |                      | box_frekey         | Description |
|-----|----------------------|--------------------|-------------|
|     |                      | box_rcpkey         | Description |
|     |                      | box_rckpos         | Description |
|     |                      | box_shlpos         | Description |
| 5   |                      | box_frepos         | Description |
|     |                      | bop_x              | Description |
|     |                      | bop_y              | Description |
|     | •                    | VialKey            | Description |
|     |                      | smp_key            | Description |
| 10  |                      | smp_cstid          | Description |
| • • |                      | bxt_type           | Description |
|     |                      | bxt_ystart         | Description |
|     |                      | bxt_ylength        | Description |
|     |                      | oxt_yleligth       | Description |
| 15  | Class NameClass Name | Class Type         | User Layer  |
|     | uBoxList             | Property Name      | ·           |
|     |                      | in id              | Description |
|     |                      | in_protocol        | Description |
|     |                      | BoxCustid          | Description |
| 20  |                      | Box Protocol       | Description |
| 20  |                      | Box_lastupdby      | Description |
|     |                      | Box_lastupdaction  | Description |
|     |                      | Box_key            | Description |
|     |                      | in_cstid           | Description |
| 25  |                      | Box id             | Description |
| 23  |                      | BoxName            | Description |
|     |                      | box location       | Description |
|     |                      | <del>_</del>       | Description |
|     |                      | Box_lastupdwhen    | Description |
| 30  | Class NameClass Name | Class Type         | User Layer  |
|     | uBoxType             | Property Name      | •           |
|     |                      | Active             | Description |
|     |                      | BxtName            | Description |
|     |                      | Depth              | Description |
| 35  |                      | Lastupdaction      | Description |
| 55  |                      | Lastupdwhen        | Date        |
|     |                      | Width              | Description |
|     |                      | Xstart             | Description |
|     |                      | Ystart             | Description |
| 40  |                      | BxtKey             | Description |
| 70  |                      | Comments           | Description |
|     |                      | Height             | Description |
|     |                      | Lastupdby          | Description |
|     |                      | • •                | Description |
| 45  |                      | Type<br>Ylangth    | Description |
| 43  |                      | Xlength<br>Vlength | -           |
|     |                      | Ylength            | Description |
|     | Class NameClass Name | Class Type         | User Layer  |
|     | uBoxTypeList         | Property Name      | • •         |
| 50  | 7                    | Lastupdwhen        | Date        |
| - 0 |                      | Type               | Description |
|     |                      | Width              | Description |
|     |                      | W IGGS             | Posorthmon  |

- 30 -

| 5  |   | xLength Xstart Lastupdby Active Ystart BxtName Height in_Type Comments Lastupdaction Depth BoxTypeKey YLength | Description |
|----|---|---|---|
| 15 | Class NameClass Name<br>uCapacityDetail | Class Type Property Name bxt_freezer col_NoofBoxes  | User Layer Description Integer  |
| 20 |   | col_%full col_shelf col_totalnoofboxes col_key  | Integer Description Integer Integer   |
| 25 | Class NameClass Name<br>uCapacitySearch | Class Type Property Name bxt_site_name col_%full col_freezer col_site_name                                    | User Layer  Description Integer Description Description   |
| 30 | Class Nama Class Nama                   | col_customer<br>col_key   | Description<br>Integer  |
| 35 | Class NameClass Name<br>uControl        | Class Type Property Name prt_key ct2_visible ct2_lastupdby KeyRead Text                                       | User Layer  Description Description Description Description Description   |
| 40 |   | ProtocolNames Mandatory Top Height  | Description Description Description   |
| 45 |   | TabIndex ControlName Keyct2read Datatype TabOrder   | Description Description Description Description Description   |
| 50 |   | Left<br>Width<br>ct2_lastupdwhen  | Description<br>Description<br>Date  |

- 31 -

|     | Class NameClass Name<br>uDatatype | Class Type<br>Property Name     | User Layer              |
|-----|-----------------------------------|---------------------------------|-------------------------|
|     | ••                                | dat_key                         | Description             |
|     |                                   | dat_lastupdwhen                 | Date                    |
| 5   |                                   | dat_name                        | Description             |
|     |                                   | dat_lastupdby                   | Description             |
|     | Class NameClass Name              | Class Type                      | User Layer              |
| 10  | uDataTypeList                     | Property Name                   | Description             |
| 10  |                                   | KeyType<br>scName               | Description Description |
|     |                                   | NameGrid                        | Description             |
|     | Class NameClass Name              | Class Type                      | User Layer              |
| 15  | uEntity                           | Property Name                   | 2001 224,41             |
|     | <b>,</b>                          | sckey                           | Integer                 |
|     |                                   | ent_rg_psnkey                   | Description             |
|     |                                   | ACN                             | Description             |
|     |                                   | Deflockey                       | Description             |
| 20  |                                   | WebSite                         | Description             |
|     |                                   | Adminlockey                     | Description             |
|     |                                   | ABN                             | Description             |
|     |                                   | TradeName                       | Description             |
|     |                                   | ID                              | Description             |
| 25  |                                   | RegName                         | Description             |
|     |                                   | ent_hl_psnName                  | Description             |
|     |                                   | Since                           | Date                    |
|     |                                   | DefaultLocation                 | Description             |
| 20  |                                   | wdg_HL_PsnKey                   | Description             |
| 30  |                                   | wdg_AdminKey                    | Description             |
|     |                                   | AdminLocation                   | Description             |
|     |                                   | ent_hl_psnkey                   | Description             |
|     |                                   | ent_rg_psnName<br>wdg_RG_PsnKey | Description             |
| 35  |                                   | wdg_KO_rshkey<br>wdg_DefdelKey  | Description Description |
| 55  |                                   | Lastupdby                       | Description             |
|     |                                   | Lastupdwhen                     | Date                    |
|     |                                   | Lastupdaction                   | Description             |
| 4.0 |                                   | Active                          | Description             |
| 40  | Class NameClass Name              | Class Type                      | User Layer              |
|     | uEntityList                       | Property Name                   |                         |
|     |                                   | scID                            | Description             |
|     |                                   | vlAddress                       | Description             |
| 45  |                                   | vlRegName                       | Description             |
|     |                                   | scName                          | Description             |
|     |                                   | vlKey                           | Description             |
|     |                                   | vlID                            | Description             |
| 50  | Class NameClass Name              | Class Type                      | User Layer              |
|     | ufreezer                          | Property Name EdtShlXStart      | Description             |
|     |                                   | ~~~WINIANUM F                   | ~ 000.1pmon             |

|     |                      | EdtComment                             | Description |
|-----|----------------------|--|-------------|
|     |                      | EdtShlYStart                           | Description |
|     |                      | EdtPolFreq                             | Description |
|     |                      | EdtRckXStart                           | Description |
| 5   |                      | EdtRckYStart                           | Description |
|     |                      | EdtFreezerkey                          | Integer     |
|     |                      | edtFreXStart                           | Description |
|     |                      | FreType                                | Integer     |
|     |                      | EdtLastUpDate                          | Date        |
| 10  |                      | EdtKeyBack                             | Integer     |
|     |                      | FreBarcode                             | Bar Code    |
|     |                      | EdtMaxTemp                             | Description |
|     |                      | EdtOwnedBy                             | Bar Code    |
|     |                      | FreName                                | Description |
| 15  |                      | EdtMinTemp                             | Description |
| 13  |                      | edtFreXLen                             | Integer     |
|     |                      | FreSite                                | Description |
|     |                      | edtFreYStart                           | Description |
|     |                      | EdtFreYLen                             | Integer     |
| 20  |                      | EdtNoShelves                           | Integer     |
| 20  |                      | EdtShlXLen                             | Integer     |
|     |                      | EdtShlYLen                             | Integer     |
|     |                      | EdtRckXLen                             | Integer     |
|     |                      | FreNoLoc                               | Integer     |
| 25  |                      | EdtRckYLen                             | Integer     |
| 25  |                      | Edirck i Len                           | Hitegei     |
|     | Class NameClass Name | Class Type                             | User Layer  |
|     | ufreList             | Property Name                          |             |
|     |                      | FreKey                                 | Description |
| 30  |                      | scFreID                                | Description |
| 50  |                      | scFreName                              | Description |
|     |                      | FreBarCodeGrid                         | Description |
|     |                      | FreNameGrid                            | Description |
|     |                      | FreNoShelvesGrid                       | Description |
| 35  |                      | 110110511011105                        |             |
| 55  | Class NameClass Name | Class Type                             | User Layer  |
|     | UGenericScreens      | Property Name                          |             |
|     | O Generic Screens    | tst CountryCode                        | Code        |
|     |                      | tst_StateCode                          | Code        |
| 40  |                      | isi_btatecode                          | 0000        |
| 40  | Class NameClass Name | Class Type                             | User Layer  |
|     | uLocation            | Property Name                          | Ober Easter |
|     | ulocation            | EAN                                    | Description |
|     |                      |  | Description |
| 4.5 |                      | Type                                   | Description |
| 45  |                      | ShortName                              | Description |
|     |                      | Address2                               |             |
|     |                      | City                                   | Description |
|     |                      | Postcode                               | Description |
|     |                      | Phone                                  | Description |
| 50  |                      | Fax                                    | Description |
|     |                      | LocKey                                 | Description |
|     |                      | —————————————————————————————————————— |             |
|     |                      | LocEntKey                              | Description |

- 33 -

|    |                      | EntRegName     | Description |
|----|----------------------|----------------|-------------|
|    |                      | Status         | Description |
|    |                      | LocName        | Description |
|    |                      | Address1       | Description |
| 5  |                      | Address3       | Description |
|    |                      | State          | Description |
|    |                      | Country        | Description |
|    |                      | LocNotes       | Description |
|    |                      | LastUpdBy      | Description |
| 10 |                      | LastUpdWhen    | Date        |
|    |                      | LastUpdAction  | Description |
|    |                      | Address4       | Description |
|    |                      |                | - 10-10 p   |
|    | Class NameClass Name | Class Type     | User Layer  |
| 15 | uLocationList        | Property Name  | 0001 20701  |
|    |                      | scEntKey       | Description |
|    |                      | scType         | Description |
|    |                      | scShortName    | Description |
|    |                      | locEntKey      | Description |
| 20 |                      | locEAN         | Description |
| 20 |                      | locType        | Description |
|    |                      | locShortName   | Description |
|    |                      | locPhone       | Description |
|    |                      | locFax         | Description |
| 25 | •                    | scName         | -           |
| 23 |                      |                | Description |
|    |                      | locKey         | Description |
|    |                      | locEntRegName  | Description |
|    |                      | locStatus      | Description |
| 30 |                      | locName        | Description |
| 30 |                      | locAddress1    | Description |
|    |                      | locAddress2    | Description |
|    |                      | locAddress3    | Description |
|    |                      | locAddress4    | Description |
| 25 | Class NameClass Name | CI T           | ** *        |
| 35 |                      | Class Type     | User Layer  |
|    | uPerson              | Property Name  |             |
|    |                      | InitialCallKey | Description |
|    |                      | PersonType     | Description |
| 40 |                      | PsnKey         | Description |
| 40 |                      | PersonTitle    | Description |
|    |                      | GivenName      | Description |
|    |                      | PreferredName  | Description |
|    |                      | MothersName    | Description |
|    |                      | WorkFax        | Description |
| 45 |                      | HomePhone      | Description |
|    |                      | HomeEmail      | Description |
|    |                      | Active         | Description |
|    |                      | FamilyName     | Description |
|    |                      | NameSuffix     | Description |
| 50 |                      | DOB            | DOB         |
|    |                      | WorkPhone      | Description |
|    |                      | WorkEmail      | Description |
|    |                      |                |             |

|     |                      | HomeFax<br>FormedName<br>RoleKey | Description Description Description |
|-----|----------------------|----------------------------------|-------------------------------------|
| 5   |                      | RoleName<br>UserName             | Description Description             |
|     |                      | Password                         | Description                         |
|     | •                    | LastUpdBy                        | Description                         |
|     |                      | LastUpdWhen                      | Date                                |
| 10  |                      | LastUpdAction Description        | Description Description             |
| 10  |                      | Notes                            | Description                         |
|     |                      | RoleEntity                       | Description                         |
|     |                      | PerKey                           | Description                         |
|     |                      | Status                           | Description                         |
| 15  |                      | zTab4EntKey                      | Description                         |
|     |                      | zTab4RoleKey                     | Description                         |
|     |                      | PreKey                           | Description                         |
|     | Class NameClass Name | Class Type                       | User Layer                          |
| 20  | uPersonList          | Property Name                    |                                     |
|     |                      | scFamilyName                     | Description                         |
|     |                      | scDOB                            | DOB                                 |
|     |                      | vlStatus                         | Description                         |
| 0.5 |                      | viWorkPhone                      | Description                         |
| 25  |                      | vlFormedName                     | Description                         |
|     |                      | vlWorkEmail                      | Description                         |
|     |                      | scGivenName<br>vlWorkFax         | Description Description             |
|     |                      | vlPsnKey                         | Primary Key                         |
| 30  |                      | viDOB                            | Date                                |
|     | Class NameClass Name | Class Type                       | User Layer                          |
|     | uProtocol            | Property Name                    | ,                                   |
|     |                      | BoxType                          | Description                         |
| 35  |                      | SampleFate                       | Description                         |
|     |                      | TrialName                        | Description                         |
|     |                      | Message                          | Description                         |
|     |                      | Location                         | Description                         |
| 40  |                      | Name                             | Description                         |
| 40  |                      | prt_lastupdby                    | Description                         |
|     |                      | prt_trlkey                       | Description Description             |
|     |                      | prt_sitkey<br>VialType           | Description                         |
|     |                      | prt_temp                         | Description                         |
| 45  |                      | StorageLen                       | Description                         |
|     |                      | Sample Type                      | Description                         |
|     |                      | Time                             | Date                                |
|     |                      | prt key                          | ItemNo                              |
| 50  |                      | prt_lastupdwhen                  | Date                                |
| 50  | Class NameClass Name | Class Type                       | User Layer                          |
|     | uProtocolList        | Class Type<br>Property Name      | Oser Layer                          |
|     | at intentitiet       | Troperty Maine                   |                                     |

WO 02/25563

#### PCT/AU01/01181

- 35 -

| rol_lastupdaction rol_key Primary Ke rol_name Description rol_key Primary Ke rol_name Description Description Description Description Description Description Description Description Description Scheme User Layer Property Name scEntityName Description Date2 Date Description Date2 Date Date4 Date Date6 Date Date Date Date Date Date Date Date  | 5  |          | scName vlType vlStorageTemp vlName vlBoxType vlKey | Description Description Description Description Description Description |
|--|----|----------|--|---|
| rol_lastupdby rol_lastupdaction pescription rol_lastupdaction rol_key Primary Ke rol_name Description rol_key Primary Ke rol_name Description rol_lastupdwhen Description rol_lastupdwhen Description rol_lastupdwhen Description scPersonName Description scPersonName Description scPersonName Description Property Name Description Samplefate Description Samplefate Description TrialName Description Date Description Date Description Date Description Date Date Date Date Date Date Date Date  | 10 |          | Property Name                                      | •   |
| rol_name   | 10 |          | rol_lastupdby<br>rol_lastupdaction                 | Description Description   |
| uRoleList  20  20  20  20  20  20  20  20  20  2   | 15 |          | rol_name   | Description Description   |
| Class NameClass Name User Layer uVial Property Name ProtocolName Description ReyRead Description Barcode Description BoxType Description Samplefate Description TrialName Description Date2 Date Date4 Date Date Date8 Date Date Date8 Date Date Time2 Description Time4 Description Time6 Description Time6 Description Time8 Description Time8 Description Date Description Date Description Date Description Date Date Date Date Date Date Date Date  |    |          | Property Name                                      |   |
| uVial Property Name ProtocolName Description Barcode Description KeyRead Description BoxType Description Samplefate Description TrialName Description Description Date2 Date Date4 Date Date6 Date Date8 Date Date10 Date Time2 Description Time4 Description Time6 Description Time6 Description Time6 Description Time8 Description Time8 Description Time10 Description Text2 Description Text2 Description Text4 Description Text5 Description Text6 Description Text9 Description Numerical1 Integer CustID Description Description Description Description Description Text9 Description Numerical1 Integer CustID Description | 20 |          |  | Description<br>Description  |
| Barcode   Description  |    | = ·····- | Property Name                                      | User Layer  |
| Samplefate TrialName Description TrialName Description Description Location Description Date2 Date Date4 Date Date6 Date Date8 Date Date10 Date Time2 Description Time4 Description Time6 Description Time6 Description Time8 Description Time10 Description Text2 Description Text2 Description Text4 Description Text5 Description Text7 Description Numerical1 Integer CustID Description Lastupdby Description   | 25 |          | Barcode<br>KeyRead                                 | Description Description   |
| Message Description Location Description Date2 Date Date4 Date Date6 Date  Date8 Date Date10 Date Time2 Description Time4 Description Time6 Description Time8 Description Time10 Description Text2 Description Text4 Description Text4 Description Text4 Description Text4 Description Text4 Description Text4 Description Text7 Description Text9 Description Numerical1 Integer CustID Description Lastupdby Description   |    |          | Samplefate   | Description   |
| Date6 Date8 Date 10 Description 10 Time2 Description 10 Time6 Description 10 Description 10 Text2 Description 10 Text4 Description 10 Description 10 Text7 Description 10 Descriptio | 30 |          | Message<br>Location<br>Date2                       | Description Description Date  |
| Time4 Description Time6 Description Time8 Description Time10 Description Text2 Description Text4 Description Time5 Description Time5 Description Text7 Description Text9 Description Numerical1 Integer CustID Description Lastupdby Description   | 35 |          | Date6<br>Date8                                     | Date<br>Date  |
| Time10 Description Text2 Description Text4 Description Time5 Description Time5 Description Text7 Description Text9 Description Numerical1 Integer CustID Description Lastupdby Description   |    |          | Time2<br>Time4                                     | Description Description Description                                     |
| Time5 Description 45 Text7 Description Text9 Description Numerical1 Integer CustID Description Lastupdby Description   | 40 |          | Time10   | Description Description Description                                     |
| CustID Description Lastupdby Description   | 45 |          | Time5<br>Text7<br>Text9                            | Description Description Description Description                         |
| PosX Description   | 50 |          | CustID<br>Lastupdby<br>Lastupdaction<br>PosX       | Description Description Description Description Description             |

PCT/AU01/01181

|    |                      | BoxKey<br>VialType<br>StorageTemp | Description Description Description |
|----|----------------------|-----------------------------------|-------------------------------------|
|    |                      | StorageLen                        | Description                         |
| 5  |                      | SampleType.                       | Description                         |
|    |                      | Time                              | Description                         |
|    |                      | Date1                             | Date                                |
|    |                      | Date3                             | Date                                |
|    |                      | Date5                             | Date                                |
| 10 |                      | Date7                             | Date                                |
|    |                      | Date9                             | Date                                |
|    |                      | Timel                             | Description                         |
|    |                      | Time3                             | Description                         |
|    |                      | Time7                             | Description                         |
| 15 |                      | Time9                             | Description                         |
|    |                      | Text1                             | Description                         |
|    |                      | Text3                             | Description                         |
|    |                      | Text5                             | Description                         |
| 20 |                      | Text6                             | Description                         |
| 20 |                      | Text8                             | Description                         |
|    |                      | Text10                            | Description                         |
|    |                      | Numerical2                        | Integer                             |
|    |                      | Numerical3                        | Integer<br>Integer                  |
| 25 |                      | Numerical4<br>Numerical5          |                                     |
| 25 |                      |                                   | Integer                             |
|    |                      | Numerical6<br>Numerical7          | Integer<br>Integer                  |
|    |                      | Numerical8                        | Integer                             |
|    |                      | Numerical9                        | Integer                             |
| 30 |                      | Numerical 10                      | Integer                             |
| 30 |                      | Lastupdwhen                       | Description                         |
|    |                      | Samplename                        | Description                         |
|    |                      | KeyPro                            | Description                         |
|    |                      | Reyllo                            | Description                         |
| 35 | Class NameClass Name | Class Type                        | User Layer                          |
|    | uVialList            | Property Name                     |                                     |
|    |                      | Prt_Key                           | Description                         |
|    |                      | scProtcol                         | Description                         |
|    |                      | BoxKey                            | Description                         |
| 40 |                      | scClientID                        | Description                         |
|    |                      | scVialbarcode                     | Description                         |
| •  |                      | scSmpName                         | Description                         |
|    |                      | sctrlName                         | Description                         |
| 4~ |                      | Barcode                           | Description                         |
| 45 |                      | ClientCode                        | Description                         |
|    |                      | VialFreezer                       | Description                         |
|    |                      | VialDesc                          | Description                         |
|    |                      | TrialName                         | Description                         |
| 50 |                      | BoxId                             | Description                         |
| 50 |                      | VialKey                           | Description                         |
|    |                      | VialLoc                           | Description                         |

- 37 -

|    | Class NameClass Name<br>uVialType | Class Type<br>Property Name | User Layer  |
|----|-----------------------------------|-----------------------------|-------------|
|    | J.                                | EntName                     | Description |
|    |                                   | VilKey                      | Primary Key |
| 5  |                                   | Lastupdby                   | Description |
|    |                                   | Material                    | Description |
|    |                                   | OutDiameter                 | Description |
|    |                                   | Type                        | Description |
|    |                                   | EntKey                      | Description |
| 10 |                                   | Height                      | Description |
|    |                                   | Lastupdaction               | Description |
|    |                                   | Lastupdwhen                 | Description |
|    |                                   | Name                        | Description |
|    |                                   | Volume                      | Description |
| 15 |                                   |                             |             |
|    | Class NameClass Name              | Class Type                  | User Layer  |
|    | uVialTypeList                     | Property Name               |             |
|    |                                   | in_VialType                 | Description |
|    |                                   | Lastupdaction               | Description |
| 20 |                                   | Lastupdby                   | Description |
|    |                                   | Lastupdwhen                 | Date        |
|    |                                   | Name                        | Description |
|    |                                   | OutDiameter                 | Description |
|    |                                   | Volume                      | Description |
| 25 |                                   | VialType                    | Description |
|    |                                   | Height                      | Description |
|    |                                   | Key                         | Primary Key |

The present invention has been hereinbefore described with reference to a specific embodiment. It will be appreciated by persons skilled in the art that numerous variations and modifications to the specific embodiment may be made. All such variations and modifications should be considered to fall within the scope of the invention as broadly hereinbefore described and as hereinafter claimed.

- 38 -

#### THE CLAIMS:

- 1. A system for the management of stored specimens.
- 5 2. A system as claimed in claim 1, wherein said specimens are biological samples, plant extracts, insects, or other like specimens.
  - 3. A system as claimed in claim 1, wherein said stored biological samples are stored under ambient, refrigerated, frozen, ultracold, cryogenic, or other environmental conditions.
    - 4. A system as claimed in any one of claims 1 to 3, wherein said stored biological samples or other specimens are managed remotely from storage means, via a communications carrier, such as the Internet.

15

10

- 5. A system as claimed in any one of claims 1 to 4, wherein the management of said biological samples or other specimens includes the control of the environmental conditions at said storage means.
- 20 6. A system as claimed in claim 5, wherein said environmental conditions includes temperature, humidity, etc., of one or more freezer unit.
  - 7. A system as claimed in any one of claims 1 to 6, wherein said environmental conditions may be set or adjusted.

25

- 8. A system as claimed in any one of claims 1 to 7, said system including: a profile database having profile data correlating to sample data of said biological samples or other specimens.
- 30 9. A system as claimed in claim 8, wherein said profile database is searchable for identification of predetermined parameters pertaining thereto.

- 10. A system as claimed in claim 9, wherein said profile database is searchable from a remote location, via a communications carrier, such as the Internet.
- 11. A system as claimed in any one of claims 8 to 10, wherein the management of said system includes the instruction of setting up, retrieval. delivery to third parties, and/or, disposal of said biological samples or other specimens.
  - 12. A system as claimed in claims 1 to 11, wherein the management of said system is controllable by one or more users.

10

20

- 13. A system as claimed in claim 12, wherein said system includes authentication means to authenticate the authority of said one or more users to manage said system.
- 14. A system as claimed in claim 13, wherein said authentication means includes the supply of a user name and password, the use of biometric (e.g. fingerprint or iris scan) identification means and/or other authentication means.
  - 15. A system as claimed in claims 13 or 14, wherein varying levels of authentication means are enabled to different users, dependent upon individual access and management authorities.
    - 16. A system as claimed in any one of claims 1 to 15, wherein said system includes validation means for indication to a user of a management instruction.
- 25 17. A system as claimed in claim 16, wherein said validation means includes the supply of return data or some means of visual indication (such as the greying of a screen) being provided to the user.

- 40 -

- 18. A system as claimed in any one of claims 1 to 17, wherein said system includes logging means, to record ongoing data pertaining to each sample/specimen or groups of samples/specimens.
- 5 19. A system as claimed in claim 18, wherein historical data pertaining to said sample/specimen or groups of samples/specimens is retrievable from said logging means.
  - 20. A system as claimed in any one of claims 1 to 19, wherein said system further includes analysing means to analyse data pertaining to a sample/specimen or groups of samples/specimens, produce reports thereabouts, etc.

10

- 21. A system as claimed in any one of claims 1 to 20, wherein said system uses a graphical interface.
- 15 23. A system as claimed in any one of claims 1 to 21 wherein said system includes replication and queuing means.
- 23. A system as claimed in any one of claims 1 to 22, wherein said system is used for the management of biological samples or other specimens by academic and/or research institutions, pathology practices, clinical trial purposes, agricultural purposes, etc. 20
  - 24. A system for the management of stored biological specimens, including: a repository of biological specimens, each specimen having sample data pertaining thereto;
- 25 a processor, including: a database containing profile data correlating to said sample data; searching means for one or more user to search said database; and control means, for one or more user to control the management of said specimens, including the retrieval, delivery and disposal of each sample, and, the 30

environmental conditions in which each sample is stored.

25. A system as claimed in claim 24, wherein said processor is accessed by said one or

WO 02/25563

- 41 -

PCT/AU01/01181

more user from a remote location, such as via the Internet.

26. A system as claimed in claims 24 or 25, wherein said processor includes authentication means to authenticate the authority of said one or more users, wherein each said one or more users may have differing authority levels.

- 27. A system as claimed in any one of claims 24 to 26, wherein said processor further includes identification means to determine the identity of each of said one or more users, wherein said identification means includes the supply of a user name and password, the use of biometric identification means, or other like identification means.
- 28. A method for managing the storage of biological specimens, including the steps of: providing a repository of biological specimens, each specimen having been sampled to obtain sample data pertaining thereto;

entering profile data, correlating to said sample data of said biological specimens into a database;

managing the identification retrieval, delivery and disposal of each sample, and, the environmental conditions in which each sample is stored via a control means by one or more user.

20

5

- 29. A method as claimed in claim 28, wherein said one or more user accesses said database and/or said control means from a remote location via a communications carrier, such as via the Internet.
- 25 30. A method as claimed in claim 28 or 29, wherein said managing step further includes authenticating the authority of said one or more user, wherein users may have a differing authority level.
- 31. A method as claimed in any one of claims 28 to 30, wherein said managing step further includes identifying said one or more user, including by the supply of a user name and password, the use of biometric identification means, or other like identification means.

- 42 -

32. A computer readable medium of instruction for the management of stored biological samples.

5

#### INTERNATIONAL SEARCH REPORT

International application No.

#### PCT/AU01/01181

| <b>A.</b>  | CLASSIFICATION OF SUBJECT MATTER  |   |                       |  |  |  |
|--|---|---|-----------------------|--|--|--|
| Int. Cl. 7: G06F 19/00   |   |   |                       |  |  |  |
| According to International Patent Classification (IPC) or to both national classification and IPC  |   |   |                       |  |  |  |
|  | FIELDS SEARCHED   |   |                       |  |  |  |
| Minimum documentation searched (classification system followed by classification symbols)  |   |   |                       |  |  |  |
|  |   |   |                       |  |  |  |
| Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched  |   |   |                       |  |  |  |
| Electronic data base consulted during the international search (name of data base and, where practicable, search terms used) WPAT and JAPIO with: G06F17/-, G06F 19/-, inventory, database, storage, biological  |   |   |                       |  |  |  |
| C. DOCUMENTS CONSIDERED TO BE RELEVANT   |   |   |                       |  |  |  |
| Category*  | Citation of document, with indication, where app  | ropriate, of the relevant passages  | Relevant to claim No. |  |  |  |
| P, X   | WO 2001 43038 A (PPGX, INC) 14 June 2001<br>Whole description   |   | 1-4, 7-23, 32         |  |  |  |
| P, A   | WO 2001 69430 A (DNA SCIENCES, INC) 20 September 2001   |   | 8-10, 13-15, 17-23    |  |  |  |
| P, A   | WO 2001 16858 (REALTIMEHEALTH.COM, INC) 8 March 2001  |   |                       |  |  |  |
|  | Further documents are listed in the continuation  | on of Box C See patent fam  | ily annex             |  |  |  |
| "A" document come in the interest of the inter | al categories of cited documents:  ment defining the general state of the art which is sussidered to be of particular relevance rapplication or patent but published on or after ternational filing date ment which may throw doubts on priority claim(s) ich is cited to establish the publication date of er citation or other special reason (as specified) ment referring to an oral disclosure, use, exhibition ter means ment published prior to the international filing date "& ter than the priority date claimed" | priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art |                       |  |  |  |
|  | ual completion of the international search  | Date of mailing of the international search report 2002   |                       |  |  |  |
| Name and mail  | 3 January 2002<br>ling address of the ISA/AU  | Authorised officer  |                       |  |  |  |
| PO BOX 200,<br>E-mail address  | N PATENT OFFICE WODEN ACT 2606, AUSTRALIA : pct@ipaustralia.gov.au (02) 6285 3929   | <b>Ross Burdon</b> Telephone No: (02) 6283 2605   |                       |  |  |  |